



Gallene Sciences Pvt. Ltd.

QUALITY CONTROL DEPARTMENT USP

Page 1 of 1

FINISHED PRODUCT CERTIFICATE OF ANALYSIS

Product Name : DECAGEN 250 1ML INJECTION	A.R. No. : HMPAP70781
Packing : 1 ML	Rel. Dt. : 08-03-2018
Generic Name : NANDROLONE DECANOATE 250MG/ML 1ML INJECTION USP	T.R. Slip No. : MLPTR70492
Product Code : DECA03	Mfg. Dt. : 21/02/2018
Batch No. : EM-18005	Exp. Dt. : 31/01/2021
Actual Batch Size : 63 LTR	Test Packing : 50 AMP
Packing Batch Size : 63 LTR	Mfg. Lic No. : G671
Sample Size : 50.000 AMP	Test As Per : USP
Released Qty : 63.000 LTR	

Location : HIMATNAGAR
Make : MLPL

Sr.	Test	Result	Specification
1	DESCRIPTION	Clear liquid	Should Comply
2	IDENTIFICATION	Complies	Should Comply
3	EXTRACTABLE VOLUME	1.2 ml	NLT 1.0 & NMT 1.2 ml
4	STERILITY	Complies	Must be sterile
5	Limit of Nandrolone	Complies	Should Comply
6	ASSAY	100.41 %	1) Nandrolone Decanoate 250MG (Limit : 90.0 % - 110.0 %)

Conclusion : The above sample complies as per USP

In the Opinion of the undersigned the sample referred to above is of Standard quality as defined in the Act and the Rules made thereunder for the result given above. "This computer generated certificate of analysis is valid without signature"

Prepared by <i>vidw</i>	Checked by <i>B...</i>	Approved by <i>[Signature]</i>
-----------------------------------	----------------------------------	--

FGANLCE